


Bikini Test

Technical Rider

PLAN ETAGE SUPERIEUR



Stage Specs

	Meter	Feet	Meter	Feet	Meter	Feet			
Stage dimensions:	Height:	0.8	2.624	Width:	8	26.24	Depht:	4	13.12
Backstage dimensions :	Height:	0.8	2.624	Width:	6	19.68	Depht:	1	3.28
Distance to lightning pipes: (from stage)	Height:	4	13.12						

Sound Specs

**According to the swiss law the SOUND LEVEL LIMIT is :
100db LeqA 60min**

PA	4	Nexo Alpha Ef	
	3	Camco DX24 Amplification	
	2	L-Acoustics SB28 Subwoofer 2x18"	
		L-Acoustics LA-8 Amplification	
FOH	Console:	1	Soundcraft Series 5 Foh 40/4/8/12
	Processing:	1	Nexo NX241
		1	Klark Teknik DN360 Equalizer
		2	Altair EQ-230 Equalizer (Mon 1-4)
		1	DBX 231 Equalizer (Mon 5-6)
	FX:	1	Lexicon PCM 91
		1	Tcelctronic M3000
		1	Tcelctronic DTwo Tap Delay
	Dynamics:	1	BSS DPR404 4 Channel comp.
		2	DBX 160A
		6	DBX 903
		2	DBX 904
		1	Drawmer DL441 Quad Comp
		2	Drawmer DS404 Quad Noise-Gate
	Misc. :	1	X Brand CD Player
1		Bantam Patchbay (Dynamics)	
1		Brüel&Kjær Sound Level Controller	

MON

Console: **MONITORS ARE OPERATED FROM FOH**

Wedges: 8 Nexo PS-15

Microphones: 2 AKG C414 XLII
2 AKG C535EB
1 AKG D112
1 Audix D6
1 Beyerdynamics M88TG
3 Beyerdynamics OPUS88
1 Electro Voice RE20
2 Oktava MK012
4 Sennheiser MD521
5 Sennheiser e604
1 Sennheiser e608
7 Shure SM57
5 Shure SM58
2 Shure Beta57
3 Shure Beta58
1 Shure Beta87A
1 Shure Beta91
1 Shure Beta52
2 Shure KSM32

DJ Specs

Turntables 4 Technics SL1200 MKII
2 Pioneer CDJ350

Mixer 1 Rane TTM56

Needles 4 Shure M44-7

This Rider is subject to minor changes - Updates will be forwarded

Light Specs

FOH	Console:	1	Avolites Pearl 2004
FIXTURES	Profile:	8	Starway Elites Servo Spot 575
	Conventional:	36	PAR 64, CP 60,61,62 Single
		4	4 Lamp Bar ACL
		6	ADB C101 PC
	Fog:	1	Jem Hazer
	Strob:	1	Martin Atomic 3000
Dimming	Dimmers:	4	Strong 6X3KW

This Rider is subject to minor changes - Updates will be forwarded

